



blue*i*mpact

ELECTRIC POWER
ELEVATED
PERFORMANCE



EMBRACE THE FUTURE OF ELECTRIC AERIAL LIFTS NOW.



Innovation High Technology Performance Power

Embrace
the future of
electric
aerial lifts



LEARN MORE ABOUT
OUR RANGE ON OUR WEBSITES



blue  pact

Blue Impact unites France Elévateur, RUTHMANN, Versalift, and MOVEX to offer the best selection of electric and hybrid aerial work platforms. We are redefining industry standards by introducing the future of elevated performance through innovation.

Powered by cutting-edge technology, our electric platforms are designed to meet the evolving needs of modern industries. The Blue Impact campaign underscores our commitment to leading the future with advanced technology, delivering an exceptional experience and unmatched performance.

We recognise the industries' demand for reliable and efficient equipment, and we are dedicated to exceeding those expectations. Trust us to provide the optimal solutions for your business with our fully electric platforms.



Join us in shaping
the future of elevated
performance - together,
we can reach
new heights.

What does blue impact mean ?

In recent years, innovative technology has increasingly paved the way for fully electric lifts. We believe this wave of innovation will transform our industry, driving solutions that incorporate the latest technology while addressing the environmental challenges of our time.

Blue Impact
embraces all of this.






A global group, brands close to you

Time Manufacturing, a leading manufacturer of aerial lifts, proudly includes France Elévateur, Versalift, RUTHMANN, and MOVEX in Europe, along with Brand FX and Aspen Aerials in the Americas. With a proven track record of high-quality and innovative products, we leverage our extensive engineering expertise to deliver highly customised equipment for various industries. Our global manufacturing capabilities are supported by a robust network of distribution and upfitting facilities across the Americas, Europe, and Asia.

- GLOBAL HEADQUARTERS
- FACTORIES & ASSEMBLY FACILITIES
- SALES AND SERVICE HEADQUARTERS



+10

FACTORIES

158.000

SQM TOTAL

+ 2.500

EMPLOYEES

+ 40

SALES AND SERVICE HEADQUARTERS

+100

INTERNATIONAL DISTRIBUTORS

+ 80

COUNTRIES SERVED



Founded in 1984 near Nancy, France Elévateur was the first French manufacturer of aerial work platforms and offers customers customised machines specifically designed for their business, including industries such as public lighting, roofers, rental companies, railway networks, live works, telecom networks and more.

France Elévateur provides an integrated network of 14 after-sales service agencies throughout France, ensuring a high level of responsiveness and specialist maintenance.

Versalift manufactures a variety of cutting-edge aerial lift solutions, with support, manufacturing and sales operations in multiple European locations including Denmark, the United Kingdom, Ireland, Sweden, and Norway.

As a market-leader in innovation and reliability, Versalift offers equipment tailored to the unique needs of various industries, including rental, telecommunications, utilities, street lighting, and more.

With a large distributor network and after-sales service centres worldwide, Versalift is committed to keeping you safe whilst maximising your productivity.

RUTHMANN Holdings GmbH is a leading manufacturer of aerial work platforms globally. Brands STEIGER®, ECOLINE and BLUELIFT are known worldwide for their innovation and quality. With a focus on cost-effective solutions and the highest safety standards, RUTHMANN offers comprehensive services throughout the entire product lifecycle, from development to after-sales support.

By combining expertise and experience, RUTHMANN has earned a reputation for exceptional quality, technology, and reliability. Guided by a customer-oriented approach, RUTHMANN ensures performance and reliability, driving dynamic company growth and the utmost customer satisfaction.

MOVEX, a company with a 70-year legacy, began its journey in machine repair before evolving into a manufacturer of machinery.

Renowned for hydraulic telescopic truck cranes and later, self-propelled cranes, MOVEX has become a leader in Spain's lifting and handling equipment industry. Today, MOVEX offers a diverse range of products, including aerial work platforms tailored for various industries such as construction, infrastructure maintenance, power line installation, industrial maintenance and more.



CHASSIS

VTX-240 G3 electric

IVECO E-DAILY

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	37 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	0,5 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	1 h
BATTERY CAPACITY POWERPACK *	-
CHARGING TIME POWERPACK *	-
CYCLES *	e-PTO **
VEHICLE RANGE *	100 km

* Depending on driving style, weather conditions and the age of the battery
 ** 0,46 kWh per full cycle (Approx. 1,5 km pr cycle)

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	24,2 m
OUTREACH (m)	12,5 m
BASKET CAPACITY (kg)	220 kg
BASKET DIMENSIONS (m)	1,40 x 0,70 x 1,10 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	420°
SWIVELLING ANGLE OF THE JIB	NO FLYBOOM
GVW (kg)	4250 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B/C1
PAYLOAD (kg)	180 kg
LENGTH (m)	7,62 m
HEIGHT (m)	2,23 m
SLOPE (SIDEWAYS)	1°
SLOPE (LENGTHWAYS)	1°





VAN

VTL-140-F electric

FORD E-TRANSIT

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	67 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	0,5 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	8 h (11 kW)
BATTERY CAPACITY POWERPACK *	200 Ah
CHARGING TIME POWERPACK *	5 h
CYCLES *	30
VEHICLE RANGE *	193 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	13,7 m
OUTREACH (m)	7,9 m
BASKET CAPACITY (kg)	200 kg
BASKET DIMENSIONS (m)	1,04 x 0,62 x 1,10 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	420°
SWIVELLING ANGLE OF THE JIB	140°
GVW (kg)	4250 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B/C1
PAYLOAD (kg)	625 kg
LENGTH (m)	6,76 m
HEIGHT (m)	3,40 m
SLOPE (SIDEWAYS)	3°
SLOPE (LENGTHWAYS)	5°



VAN

VTL-135-F electric

FORD E-TRANSIT UK MODEL



BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	67 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	0,5 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	8 h (11 kW)
BATTERY CAPACITY POWERPACK *	200 Ah
CHARGING TIME POWERPACK *	5 h
CYCLES *	30
VEHICLE RANGE *	193 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	13,5 m
OUTREACH (m)	8 m
BASKET CAPACITY (kg)	200 kg
BASKET DIMENSIONS (m)	1,04 x 0,62 x 1,10 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	420°
SWIVELLING ANGLE OF THE JIB	140°
GVW (kg)	4250 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B/C1
PAYLOAD (kg)	500 kg
LENGTH (m)	6,80 m
HEIGHT (m)	3,40 m
SLOPE (SIDEWAYS)	3°
SLOPE (LENGTHWAYS)	5°



VTL-145-F electric

RENAULT MASTER E-TECH

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	87 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	0,5 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	4 h
BATTERY CAPACITY POWERPACK *	200 Ah
CHARGING TIME POWERPACK *	5 h
CYCLES *	30
VEHICLE RANGE *	300 km

* Depending on driving style, weather conditions and the age of the battery.

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	14,4 m
OUTREACH (m)	8,8 m
BASKET CAPACITY (kg)	230 kg
BASKET DIMENSIONS (m)	1,04 x 0,62 x 1,10 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	420°
SWIVELLING ANGLE OF THE JIB	140°
GVW (kg)	4000 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B/C1
PAYLOAD (kg)	369 kg
LENGTH (m)	7,00 m
HEIGHT (m)	3,25 m
SLOPE (SIDEWAYS)	3°
SLOPE (LENGTHWAYS)	5°





CHASSIS

Ampero TBR 260 E

IVECO E-DAILY



BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	74 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	1 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	4 h
BATTERY CAPACITY POWERPACK *	-
CHARGING TIME POWERPACK *	-
CYCLES *	40***
VEHICLE RANGE *	175 km

* Depending on driving style, weather conditions and the age of the battery
 *** 0,25 battery per full cycle

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	26 m
OUTREACH (m)	17 m
BASKET CAPACITY (kg)	250 kg*
BASKET DIMENSIONS (m)	1,40 x 0,70 m OPTIONAL 1,60 x 0,70 m
N° OF PEOPLE IN THE BASKET	2**
LIFT ROTATION	450°
SWIVELLING ANGLE OF THE JIB	185°
GVW (kg)	5200 kg (7000 kg)
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	C1
PAYLOAD (kg)	635 kg (2120 kg)
LENGTH (m)	7,91 m
HEIGHT (m)	3,07 m
SLOPE (SIDEWAYS)	5°
SLOPE (LENGTHWAYS)	5°

* Optional up to 300 kg
 ** Up to 3





CHASSIS

e-TOPY 11

FORD E-TRANSIT



BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	68 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	0,5 h (100kW)
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	3h41
BATTERY CAPACITY POWERPACK *	-
CHARGING TIME POWERPACK *	-
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	317 km

* Depending on driving style, weather conditions and the age of the battery.

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	11,1 m
OUTREACH (m)	6 m
BASKET CAPACITY (kg)	120 kg
BASKET DIMENSIONS (m)	0,85 x 0,75 x 1,15m
N° OF PEOPLE IN THE BASKET	1
LIFT ROTATION	400°
SWIVELLING ANGLE OF THE JIB	WITHOUT
GVW (kg)	3500 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYLOAD (kg)	325 kg
LENGTH (m)	6,03 m
HEIGHT (m)	2,66 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°



CHASSIS

e-TOPY 10.2

FORD E-TRANSIT



BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	68 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	0,5 h (100kW)
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	3h41
BATTERY CAPACITY POWERPACK *	-
CHARGING TIME POWERPACK *	No powerpack
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	317 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	10,4 m
OUTREACH (m)	5,30 m
BASKET CAPACITY (kg)	200 kg
BASKET DIMENSIONS (m)	0,11 x 0,75 x 1,15m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	400°
SWIVELLING ANGLE OF THE JIB	WITHOUT
GVW (kg)	3500 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYLOAD (kg)	325 kg
LENGTH (m)	6,03 m
HEIGHT (m)	2,66 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°



VAN

e-UPTO 13



RENAULT MASTER E-TECH

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	52 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	2h44
BATTERY CAPACITY POWERPACK *	300 Ah
CHARGING TIME POWERPACK *	-
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	204 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	13,2 m
OUTREACH (m)	8,0 m
BASKET CAPACITY (kg)	230 kg
BASKET DIMENSIONS (m)	1,1 x 0,75 x 1,15 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	400°
SWIVELLING ANGLE OF THE JIB	180°
GVW (kg)	3500 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYLOAD (kg)	-
LENGTH (m)	5,96 m
HEIGHT (m)	3,28 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°



VAN

e-121 FT



RENAULT MASTER E-TECH

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	52 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	2h44
BATTERY CAPACITY POWERPACK *	180 Ah
CHARGING TIME POWERPACK *	-
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	204 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	12 m
OUTREACH (m)	7 m
BASKET CAPACITY (kg)	120 kg
BASKET DIMENSIONS (m)	0,85 x 0,75 x 1,15 m
N° OF PEOPLE IN THE BASKET	1
LIFT ROTATION	400°
SWIVELLING ANGLE OF THE JIB	WITHOUT
GVW (kg)	3500 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYLOAD (kg)	250 kg
LENGTH (m)	6,56 m
HEIGHT (m)	3,25 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°



VAN

e-121 FTcc



RENAULT MASTER E-TECH

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	52 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	0,5 h (100kW) 1,50 h (50kW)
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	2h24
BATTERY CAPACITY POWERPACK *	180 Ah
CHARGING TIME POWERPACK *	-
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	204 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	12 m
OUTREACH (m)	7 m
BASKET CAPACITY (kg)	120 kg
BASKET DIMENSIONS (m)	0,85 x 0,78 x 1,15 m
N° OF PEOPLE IN THE BASKET	1
LIFT ROTATION	400°
SWIVELLING ANGLE OF THE JIB	WITHOUT
GVW (kg)	3500 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYLOAD (kg)	375 kg
LENGTH (m)	5,87 m
HEIGHT (m)	3,25 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°



CHASSIS

182 CPM

RENAULT D19 E-TECH




BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	280 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	1h35 WITH 150 KW DC
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	4h55 43 KW
BATTERY CAPACITY POWERPACK *	-
CHARGING TIME POWERPACK *	-
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	315 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	18 m
OUTREACH (m)	12 m
BASKET CAPACITY (kg)	265 kg
BASKET DIMENSIONS (m)	1,30 x 0,75 x 1,15 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	400°
SWIVELLING ANGLE OF THE JIB	180°
GVW (kg)	19 000 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	C
PAYLOAD (kg)	3500 kg
LENGTH (m)	7,55 m
HEIGHT (m)	3,95 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°





TRACKED

BLUELIFT SA11

BLUELITHIUM



BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	4,8 KWh
CHARGING TIME POWERPACK *	4 h
CYCLES *	18
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	10,8 m
OUTREACH (m)	6,7 m
BASKET CAPACITY (kg)	230 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	340°
SWIVELLING ANGLE OF THE JIB	90°
GVW (kg)	1532 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYLOAD (kg)	-
LENGTH (m)	3,70 m
HEIGHT (m)	1,92 m
SLOPE (SIDEWAYS)	4,5°
SLOPE (LENGTHWAYS)	4,2°





TRACKED

BLUELIFT C13

BLUELITHIUM




BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	4,8 KWh
CHARGING TIME POWERPACK *	4 h
CYCLES *	18
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	13 m
OUTREACH (m)	7,5 m
BASKET CAPACITY (kg)	230 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	340°
SWIVELLING ANGLE OF THE JIB	110°
GVW (kg)	1550 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYLOAD (kg)	-
LENGTH (m)	4,59 m
HEIGHT (m)	1,95 m
SLOPE (SIDEWAYS)	10°
SLOPE (LENGTHWAYS)	10°





TRACKED

BLUELIFT SA16



BLUELITHIUM

BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	4,8 KWh
CHARGING TIME POWERPACK *	4 h
CYCLES *	18
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	15,8 m
OUTREACH (m)	7,4 m
BASKET CAPACITY (kg)	230 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	340°
SWIVELLING ANGLE OF THE JIB	110°
GVW (kg)	1950 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYLOAD (kg)	-
LENGTH (m)	4,40 m
HEIGHT (m)	1,99 m
SLOPE (SIDEWAYS)	10°
SLOPE (LENGTHWAYS)	10°





TRACKED

BLUELIFT SA18 HB

BLUELITHIUM




BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	4,8 KWh
CHARGING TIME POWERPACK *	4 h
CYCLES *	18
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	17,8 m
OUTREACH (m)	9,3 m
BASKET CAPACITY (kg)	230 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	340°
SWIVELLING ANGLE OF THE JIB	110°
GVW (kg)	2350 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYLOAD (kg)	-
LENGTH (m)	4,40 m
HEIGHT (m)	1,99 m
SLOPE (SIDEWAYS)	10°
SLOPE (LENGTHWAYS)	10°



TRACKED

BLUELIFT SA22



BLUELITHIUM


BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	9,6 KWh
CHARGING TIME POWERPACK *	6 h
CYCLES *	18
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	22 m
OUTREACH (m)	10,9 m
BASKET CAPACITY (kg)	250 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	360°
SWIVELLING ANGLE OF THE JIB	110°
GVW (kg)	3050 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYLOAD (kg)	-
LENGTH (m)	5,20 m
HEIGHT (m)	1,98 m
SLOPE (SIDEWAYS)	10°
SLOPE (LENGTHWAYS)	10°





TRACKED

BLUELIFT SA26



BLUELITHIUM

BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	9,6 KWh
CHARGING TIME POWERPACK *	6 h
CYCLES *	18
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	26 m
OUTREACH (m)	14,5 m
BASKET CAPACITY (kg)	250 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	360°
SWIVELLING ANGLE OF THE JIB	110°
GVW (kg)	3400 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYLOAD (kg)	-
LENGTH (m)	5,60 m
HEIGHT (m)	1,98 m
SLOPE (SIDEWAYS)	10°
SLOPE (LENGTHWAYS)	10°



TRACKED

BLUELIFT SA31



BLUELITHIUM

BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	9,6 KWh
CHARGING TIME POWERPACK *	6 h
CYCLES *	10
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	31 m
OUTREACH (m)	17,3 m
BASKET CAPACITY (kg)	250 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1 m
N° OF PEOPLE IN THE BASKET	2
LIFT ROTATION	360°
SWIVELLING ANGLE OF THE JIB	110°
GVW (kg)	4750 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYLOAD (kg)	-
LENGTH (m)	5,75 x 6,45 m
HEIGHT (m)	1,99 m
SLOPE (SIDEWAYS)	7°
SLOPE (LENGTHWAYS)	6°



We are everywhere.

FRANCE

FRANCE ELEVATEUR
ZAC du Plateau
54630 Flavigny-sur-Moselle
+33 3 83 23 31 32
contact@france-eleveur.fr

DENMARK

VERSALIFT DENMARK
Søndervang 3, 9
640 Farsø
+45 98632433
salg@versalift.dk

ENGLAND

VERSALIFT UNITED KINGDOM LIMITED
1 Altendiez Way, Burton Latimer
Northants, NN15 5YT
+44 1536 721010
sales@versalift.co.uk

IRELAND

VERSALIFT IRELAND LIMITED
Unit 55, Broomhill Drive
Tallaght, Dublin 24
+353 818 021 092
sales@versalift.ie

NORWAY

VERSALIFT NORWAY
Industriområde Grav 9
1860 Trøgstad
+47 6910 9169
salg@versalift.no

SWEDEN

VERSALIFT SWEDEN
Servicevägen 45
311 32 Falkenberg
+46 10-17 17 530
sales@versalift.se

GERMANY

RUTHMANN HOLDINGS GMBH
Ruthmannstraße 4
48712 Gescher
+49 2863 204-0
info@ruthmann.de

AUSTRIA

RUTHMANN AUSTRIA GMBH
Gewerbeparkstr. 3
8143 Dobl
+43 3136 55350
info@ruthmann.at

SWITZERLAND

RUTHMANN Schweiz AG
Steinackerstrasse 57
8302 Kloten
+41 43 255 42 00
info@ruthmann-schweiz.ch

SPAIN

MOVEX LIFT
Carretera de Vic, 80/82
08530 La Garriga
+34 93 849 37 77
info@movexlift.com

VERSALIFT SPAIN

CI Marqués de San Esteban 2
Oficina 210
33206 Gijón Asturias
+34 6153 57491
jose@versalift.es

BELGIUM

FE BENELUX
Rue de la Terre A Briques 22b
7522 Tournai
+32 56 51 40 26
fontaine.g@fe-group.com

ITALY

RUTHMANN ITALIA S.R.L.
Via Santa Maria del piano di Sotto 91/B
47854 Montescudo
+39 541 756872
info@ruthmann.it

FIND OUR EUROPEAN LOCATIONS ON THIS MAP



FIND A FULL LIST
OF OUR DISTRIBUTORS ONLINE



FRANCE-ELEVATEUR.FR/EN/



VERSALIFTINTERNATIONAL.COM



EN.RUTHMANN.DE



MOVEXLIFT.COM/EN



ARTISTIC DIRECTION & DESIGN
AGENCE ALCIMY

PHOTOGRAPHER
THOMAS DEVARD

blue  impact

ELECTRIC POWER
ELEVATED
PERFORMANCE





blue*i***mpact**

ELECTRIC POWER · ELEVATED PERFORMANCE